

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S101	16	S100 and @ad< "20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/11/01 12:18
S100	42	(public adj key\$1) with (url \$1 or uri\$1 or address) with download\$2	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/11/01 12:18
S99	136	(public adj key\$1) with (url \$1 or uri\$1 or address) with location	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/11/01 12:17
S98	313	(713/160.ccls. not S97) and @ad< "20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/11/01 12:04
S97	640	713/161.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/11/01 12:04
S96	420	713/161.ccls. and @ad< "20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/11/01 12:04
S95	305	(713/160.ccls. not S93) and @ad< "20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 16:47
S94	305	(713/160.ccls. not S93) and @ad< "20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 16:38
S93	605	713/161.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 16:38
S92	413	713/161.ccls. and @ad< "20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 16:38
S91	47	(public adj key\$1) near (url \$1 or uri\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 16:10

/MTH/

S90	26	S89 same header\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 16:08
S89	846	(identity or identifi\$4 or id) with ((key adj server) or (certification adj server))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 16:08
S88	15	S86 same header\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 16:04
S87	13	S86 same header	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 16:04
S86	588	((identity or identifi\$4) with ((key adj server) or (certification adj server))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 16:04
S85	12	(header\$1) with (entity) near identity	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 15:58
S84	0	(header\$1) with ((public \$1key or key) adj1 server) near identity	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 15:58
S83	0	(header\$1) with (ca or (certificat\$4 adj authorit \$3)) near (identity)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 15:57
S82	318	(header\$1) with (ca or (certificat\$4 adj authorit \$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 15:57
S81	84	(packet\$1 or datagram\$1) with (header\$1) with (ca or (certificat\$4 adj authorit \$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 15:57
S80	3	(header\$1) with (certificat \$4 adj1 server)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 15:49
S79	0	(packet\$1 or datagram\$1) with (header\$1) with (certificat\$4 adj1 server)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 15:49

/MTH/

S78	16	(header\$1) with (retriev\$4 with (public adj key))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 15:46
S77	740	(header\$1) with (retriev \$4with (public adj key))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 15:46
S76	1	(header\$1) with (location with obtain with (public adj key))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 15:44
S75	0	(header\$1) with (where with obtain with (public adj key))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 15:44
S74	11	(header\$1) with (identity near3 (public adj key))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 15:41
S73	3	(header\$1) with (location with (public adj key))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 15:40
S72	3	(header\$1) with (certificate adj1 server)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 15:39
S71	0	(packet\$1 or datagram\$1) with (header\$1) with (certificate adj1 server)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 15:39
S70	11	(packet\$1 or datagram\$1) with (header\$1) with ((public\$1key or key) adj1 server)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 15:35
S69	84	(packet\$1 or datagram\$1) with (header\$1) with (ca or (certificate adj authorit \$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 15:05
S68	2	"7155500".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2010/06/08 14:48
S67	296	(713/160.cds. not S66) and @ad< "20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/12/03 11:04

S66	558	713/161.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/12/03 11:04
S65	402	713/161.ccls. and @ad< "20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/12/03 10:57
S64	17	header\$1 same ((look\$1up or location or address) near (public adj key))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/12/03 10:53
S63	23	header\$1 with (((certificate adj authority)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/12/03 10:46
S62	280	header\$1 with ((CA or (certificate adj authority)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/12/03 10:46
S61	5	header\$1 with (identity near1 (public adj key\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/12/03 10:43
S60	6	header\$1 with (address near1 (public adj key\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/12/03 10:42
S59	0	header\$1 with (location\$1 near1 (public adj key\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/12/03 10:41
S58	19	packet adj header\$1 with (public adj key\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/12/03 10:37
S57	693	header\$1 with (public adj key\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/12/03 10:33
S56	1	header\$1 with (identity with (CA or (certificate adj authority)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/12/03 10:32
S55	6	S54 and @ad< "20031126"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/06/17 14:37

/MTH/

S54	22	S52 same (initializ\$5 with algorithm)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/06/17 14:37
S53	0	S52 same (recipient with initializ\$5 with algorithm)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/06/17 14:36
S52	553	includ\$4 with algorithm with header	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/06/17 14:36
S51	284	(713/160.ccls. not S50) and @ad< "20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/06/17 14:32
S50	522	713/161.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/06/17 14:32
S49	392	713/161.ccls. and @ad< "20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2009/06/17 14:22
S48	15	(packet\$1 with verif\$8 with signature\$1) and @ad< "20031127" and digital adj certificate\$1	USPAT	OR	OFF	2008/12/04 10:18
S47	26	packet\$1 with (contain\$1 or compris\$4 or hold\$1) with ((public adj key\$1) or certificate\$1) and (validat\$4 or verif\$7) with (own\$6 or belong\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:04
S46	42	pre\$1establish\$4 with security adj association\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/04 09:49
S45	276	(713/160.ccls. not S44) and @ad< "20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/04 09:40
S44	476	713/161.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/04 09:40
S43	371	713/161.ccls. and @ad< "20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/12/04 09:28

[MTH]

S42	22	packet\$1 with (contain\$1 or compris\$4 or hold\$1) with ((public adj key\$1) or certificate\$1) and (validat\$4 or verif\$7) with (own\$6 or belong\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/07/15 14:14
S41	12	packet\$1 with verif\$8 with signature\$1 and @ad<"20031127" and digital adj certificate\$1	USPAT	OR	OFF	2008/07/15 14:14
S40	269	S39 not S38	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/07/15 13:20
S39	322	713/160.ccls. and @ad<"20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/07/15 13:20
S38	448	713/161.ccls. and ad<"20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/07/15 13:20
S37	269	(713/160.ccls. not S36) and @ad<"20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/07/15 13:20
S36	448	713/161.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/07/15 13:20
S35	363	713/161.ccls. and @ad<"20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2008/07/15 13:09
S34	19	packet\$1 with (contain\$1 or compris\$4 or hold\$1) with ((public adj key\$1) or certificate\$1) and (validat\$4 or verif\$7) with (own\$6 or belong\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/11/21 11:49
S33	155	packet\$1 with (contain\$1 or compris\$4 or hold\$1) with ((public adj key\$1) or certificate\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/11/21 11:48
S32	155	packet\$1 with (contain\$1 or compris\$4 or holds) with ((public adj key\$1) or certificate\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/11/21 11:48

/MTH/

S31	964	packet\$1 with ((public adj key\$1) or certificate\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/11/21 11:47
S30	29	faccin-stefano\$.in. and packet\$1.clm.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/11/21 08:56
S29	70	faccin-stefano\$.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/11/21 08:55
S28	38	le-franck\$.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/11/21 08:55
S27	38	le-franck.in.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/11/21 08:44
S1	2	"20040268123"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/11/21 08:44
S26	22	time\$1stamp\$1 with packet\$1 same replay	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:55
S25	16	timestamp with packet\$1 same replay	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/11/20 15:55
S24	12	packet\$1 with verif\$8 with signature\$1 and @ad<"20031127" and digital adj certificate\$1	USPAT	OR	OFF	2007/11/20 15:44
S23	117	packet\$1 with verif\$8 with signature\$1 and @ad<"20031127"	USPAT	OR	OFF	2007/11/20 15:44
S22	125	packet\$1 with verif\$8 with signature\$1	USPAT	OR	OFF	2007/11/20 15:44
S21	2	packet\$1 same verif\$8 with signature\$1 same (each or every or all) adj1 (node\$1)	USPAT	OR	OFF	2007/11/20 15:43
S20	198	packet\$1 same verif\$8 with signature\$1	USPAT	OR	OFF	2007/11/20 15:41
S19	10	header same specif\$4 near2 algorithm\$1 with (sign or signed or signing or signature\$1)	USPAT	OR	OFF	2007/11/20 15:41

/MTH/

S18	10	header same specif\$4 near2 algorithm with (sign or signed or signing or signature\$1)	USPAT	OR	OFF	2007/11/20 15:34
S17	1	header same indicat\$4 near2 algorithm with (sign or signed or signing or signature\$1)	USPAT	OR	OFF	2007/11/20 15:34
S16	57	header same indicat\$4 near2 algorithm	USPAT	OR	OFF	2007/11/20 15:33
S15	19	packet\$1 with digital\$4 adj (sign\$3 or signature\$1) and (public adj key\$1) and ((secret or private) adj key \$1) and (valid\$4 or integrity) and time\$1stamp \$3 and @ad<"20031127"	USPAT	OR	OFF	2007/11/20 15:32
S14	127	packet\$1 with digital\$4 adj (sign\$3 or signature\$1) and (public adj key\$1) and ((secret or private) adj key \$1) and (valid\$4 or integrity) and @ad<"20031127"	USPAT	OR	OFF	2007/11/20 14:39
S13	133	packet\$1 with digital\$4 adj (sign\$3 or signature\$1) and (public adj key\$1) and ((secret or private) adj key \$1) and (valid\$4 or integrity)	USPAT	OR	OFF	2007/11/20 14:37
S12	155	packet\$1 with digital\$4 adj (sign\$3 or signature\$1) and (public adj key\$1) and ((secret or private) adj key \$1)	USPAT	OR	OFF	2007/11/20 14:37
S11	1969	packet\$1 with digital\$4 adj (sign\$3 or signature\$1)	USPAT	OR	OFF	2007/11/20 14:36
S10	0	("2004/0268123").URFN.	USPAT	OR	OFF	2007/11/20 14:35
S9	247	S6 not S3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/11/20 14:05
S8	247	S6 not S2	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/11/20 14:05
S7	247	(713/160.ocds. not S2) and @ad<"20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/11/20 14:04

/MTH/



S6	293	713/160.ccls. and @ad<"20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/11/20 13:51
S4	331	713/161.ccls. and @ad<"20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/11/20 13:51
S5	31	("5850449").URPN.	USPAT	OR	OFF	2007/11/20 11:40
S3	392	713/161.ccls. and ad<"20031127"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/11/20 10:51
S2	392	713/161.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/11/20 10:51

**EAST Search History (Interference)**

&lt; This search history is empty &gt;

**11/ 1/ 10 2:42:41 PM****C:\Documents and Settings\mhenning\My Documents\ EAST\ Workspaces\ 10721504.wsp**

/MTH/